





WOOD & METAL collection



Colour Schemes Ideas



All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit.
Semua warna yang ditunjukkan adalah hampir serupa dengan warna sebenar Nippon Paint berdasarkan teknik pencetakan moden.
根据现代印刷技术允许，以上所有显示颜色与Nippon Paint的真实颜色相近。





Nippon 9000 Gloss Finish
Adds brilliance to all wood and metal surfaces
 Hasil kilauan kemasan pada semua permukaan kayu dan logam

- Protect metal from rusting
- Dirt, fungus & algae resistant
- Long lasting
- For interior and exterior use
- Melindungi logam daripada berkarat
- Ketahanan lebih lasak terhadap kotoran, kulat & alga
- Tahan lebih lama
- Untuk penggunaan dalaman dan luaran



Also available in :

classic collection

Mandarin (*1) 1331	Flamingo (*1) 1402	Carnival Red 1507	Russet 1332	Beige 1302
Straw Cream 1134	Orange 1127	Oak 1322	Copper Tone 1320	Off White 1300
Ivory 1130	Sun Flower 1505	Barbary Gold 1329	Marigold 1328	Pearl White 1301
Crystal Mint 1222	Emerald 1509	Mango 1327	Calm Green 1131	
Paradise Blue 1365	Spruce 1510	Empress 1508	Frost Blue 1364	
Wira Blue 1471	Papier Grey 1139	Lavender Grey 1307	Venus 1406	
Secret 1503	Celebration 1504	Slate 1325	Arrow Wood 1201	Ash Grey 1306
Brown Velvet 1324	Leather (*1) 1200	Congo Brown 1126	Mahogany 1136	

Juga didapati dari Colour Creations / 也可通过 Colour Creations 获得



Hydro



Odourlite Gloss Finish



Odourlite Soft Matt Finish



Q-Lac Gloss Finish



Timbershade

Also Available:



NC Wood Lacquer



PU Recoatable Finish

NEW Colours

(*1) (*2) PREMIUM Colours

Also available in White 1145 & Black 1144

Inspirational Shades Solid Colours

Floating Petal 5131P	Frosted Rose 5132T	Passionate 1506	Fire Princess 7103D	Iced Ginger OW39 2P
Sweet Dream 1502	Sakura 1143	Cotillion Red 263A	Orange Sovereign 264A	Jute 1367
Delicate Peach 6051P	Caramel Cream 5051P	Sunbaked 5063D	Honey Cream 1405	Maple 1366
Daisy Petal 6013P	Crocus Yellow 7022T	Golden Wonder 211A	Golden Dome 7033D	Gold Shadow 7032T
Minted Lemon OW7 1P	Primrose 1303	Jasmine 1129	Yellow Cluster 12A	Golden Rain 1034T
Haze Blue 1305	Trail Print 3105P	Jasmine Leaf 1102T	Light Lichen 3084T	White Fern 3091P
Mint Scent OW17 1P	Flowing Green 3131P	Honey Blue 1142	Turquoise 1401	Reflecting Green 2162P
Worn Blue Cloth 5241P	Cerulean 7244T	Liberty Blue 281A	Mist Blue 1028	Moonless 2242P
Harmony 1501	Purple Heather 5184T	Purple Comet 233A	Chata Phlox 5161P	Demure 6181P
Whetstone 4234T	Smokey Wings 4244T	Sentinel Gray 4242T	Stiletto Gray 4241P	Gray Dew OW24 2P

All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit.
 Semua warna yang ditunjukkan adalah hampir serupa dengan warna sebenar Nippon Paint berdasarkan teknik pencetakan moden.
 根据现代印刷技术允许, 以上所有显示颜色与Nippon Paint的真实颜色相近。

Gloucester Brown 131A	Woodland Olive 1117	Eggshell OW19 2P	Gardenia OW15 1P	Flaxen 3031P
Saddle Brown 141A	Bedford 134A	Creamy White OW31 1P	Snow White OW20 1P	Silent Bliss 6021P
Field Oak 142A	Polished Leather 4083D	Golden Sand 1319	Perfumed Powder 6011P	
Rockies Red 184A	Sedona Clay 174A	Natural Oak 4052T	Light Approach OW25 1P	
Winestone 181A	Robust Red 222A	Aztec 5083D	Classic Silk 5011P	



Nippon Timbershade
For longer lasting protection for wooden and galvanised surfaces
 Hasil kilauan kemasan pada semua permukaan kayu dan logam

- Non-added lead and mercury
- Faster drying
- Waterbased
- Suitable for galvanised substrate
- Tiada plumbum & merkuri
- Kering dengan lebih cepat
- Berasaskan air
- Sesuai untuk permukaan bergalvani

Classic Silk 5011P	Harvest Orange (*1) 213A	Sedona Clay 174A	Tigerstripe (*1) 214A	Robust Red (*1) 222A
Crushed Rock 4015P	Aztec 5083D	Field Oak 142A	Newtowne Brown 152A	Knockout Red (*1) 261A
Graystone 4012T	Bedford 134A	Espresso 151A	Tempest Brown (*1) 153A	Winestone (*1) 181A
Folkstone 4245P	Silhouette Gray 4223D	Black Night 164A	Lush Green 64A	Blue Thunder 202A

All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit.
 Semua warna yang ditunjukkan adalah hampir serupa dengan warna sebenar Nippon Paint berdasarkan teknik pencetakan moden.
 根据现代印刷技术允许, 以上所有显示颜色与Nippon Paint的真实颜色相近。

Product for Wood Preparation




Painting System For Wood Coating



CLEAN WOOD SURFACE THOROUGHLY
Wood surface must be suitably prepared, clean, dry and free from traces of dust, dirt, wax and grease. Sand surface with 320-grit sandpaper. Always sand in the direction of the grain to avoid damage on wood surface.




FILL, CRACKS, NAIL HOLES
Choose similar or nearest wood putty colour. Apply with putty knife or scraper. Press firmly into place. Smoothen with sand paper on treated surface.



RUB STAIN IN CIRCULAR MOTION
Rub Nippon Wood Stain Filler with lint free cloth or sponge. Spread as far as possible to fill in the wood pores evenly. Repeat step if needed.



REMOVE EXCESS
Wipe off excess immediately with dry cloth. Wipe from one end to another end in the direction of the wood grain to obtain a smooth and even finish.



APPLY WITH BRUSH OR SPRAY
2 COATS OF NIPPON PAINT WOOD COATING SPECIALIST
Apply 2 to 3 coats of Nippon Paint Wood Coating Specialist by brush or spray. Sand between coats with 1200-grit sandpaper.



ENJOY THE TIMELESS FINISH OF NIPPON PAINT WOOD COATING SPECIALIST

Ⓢ This colour is recommended to paint 1 coat of Nippon Timbershade Light Grey 10138P as base coat (before applying Fibercote) to minimize colour inconsistency.
Ⓢ This colour is recommended to paint 1 coat of Nippon Timbershade Light Beige 10137P as base coat (before applying Fibercote) to minimize colour inconsistency.
Colours shown represent 3 coats of Nippon 1 Pack PU Timbercoat on nyatoh wood. All colours re-produced are shown as close to actual colours as modern printing technique allow. Colours applied may vary depending on colour, texture, grain, porosity and type of wood. Where colour matching is critical, an applied sample is recommended.

Inspirational



SATIN	GLOSS	SATIN	GLOSS
Golden Pine T103		Rosewood T108	

SATIN	GLOSS
Rust T105	

TEAK UNCOATED	MERANTI UNCOATED

REDWOOD T107	MERANTI T101

MAHOGANY T102	CHARCOAL T110



■ Classic Colour from Nippon Timber Finish.

Collection

Pigmented Varnish Colour

SATIN	GLOSS	SATIN	GLOSS	SATIN	GLOSS	SATIN	GLOSS	SATIN	GLOSS
Banana Yellow T112		Golden Sand T113		Honey Gold T115		Candy Brown T114		Golden Oak T120	
Golden Maple T124		Natural Almond T131		Barrel Brown T121		Golden Cherry T125		Maple Wood T130	
Golden Honey T134		Burnese Teak T128		Cherry Wood T122		Golden Oak T120		Bali Yellow T119	
Vanilla Brown T129		Indian Teak T174		Dark Jewel T186		Antique Red T179		Tabletop Wood T127	
Dark Nyatoh T139		Dark Brown T141		Burn Leaf T175		Brown Wood T133		Dark Walnut T137	
Caftan Green T146		Raw Timer T155		Dark Khaki T173		Green Grove T172		Ocean Green T154	
Fresh Green T158		Canopy Green T156		Vibrant Green T159		Turquoise T153		Lagoon Green T152	

Ⓢ This colour is recommended to paint 1 coat of Nippon Timbershade Light Grey 10138P as base coat (before applying Fibercote) to minimize colour inconsistency.
Ⓢ This colour is recommended to paint 1 coat of Nippon Timbershade Light Beige 10137P as base coat (before applying Fibercote) to minimize colour inconsistency.
Colours shown represent 3 coats of Nippon 1 Pack PU Timbercoat on nyatoh wood. All colours re-produced are shown as close to actual colours as modern printing technique allow. Colours applied may vary depending on colour, texture, grain, porosity and type of wood. Where colour matching is critical, an applied sample is recommended.

Semi Opaque Collection

SATIN	GLOSS	SATIN	GLOSS	SATIN	GLOSS	SATIN	GLOSS	SATIN	GLOSS
Butter White T142		Cream T181		Fog Grey T184		Atlantic Grey T182		Umber Brown T135	
Apricot T166		Pink T170		Tinted Pink T161		Muted Pink T162		Pink Pad T163	
Trendy Purple T164		Violet Vest T165		Light Green T148		Watercourse T149		Classy Green T151	
Coconut Oak T136		Umber Brown T135		Frosted Brown T138		Dark Bark T145		Bamboo T144	
Whitish Brown T143		Pale Grey T188		Blue Green T187		Forrest Blue T189		Mercury Grey T183	



Ⓢ This colour is recommended to paint 1 coat of Nippon Timbershade Light Grey 10138P as base coat (before applying Fibercote) to minimize colour inconsistency.
Ⓢ This colour is recommended to paint 1 coat of Nippon Timbershade Light Beige 10137P as base coat (before applying Fibercote) to minimize colour inconsistency.
Colours shown represent 3 coats of Nippon 1 Pack PU Timbercoat on nyatoh wood. All colours re-produced are shown as close to actual colours as modern printing technique allow. Colours applied may vary depending on colour, texture, grain, porosity and type of wood. Where colour matching is critical, an applied sample is recommended.

Product Selector

SOLID COLOUR Chart

		Solvent Based						Water Based	
									
		PU Recoatable Finish Clear	Odourlite Gloss Finish	Odourlite Soft Matt Finish	9000 Gloss Finish	Q-Lac Gloss Finish	NC Wood Lacquer	Timbershade	Hydro
		PRO SERIES	Colour Creations™	Colour Creations™	Colour Creations™	Colour Creations™	PRO SERIES	Colour Creations™	Colour Creations™
		Interior & Exterior	Interior & Exterior	Interior	Interior & Exterior	Interior & Exterior	Interior	Interior & Exterior	Interior
Finishing	High Gloss	●	●		●	●	●		●
	Soft Matt	●		●				●	●
ENVIRONMENTAL FRIENDLY									
Green Choice 									
Low Odour			Low Odour	Low Odour					Ultra Low Odour
100% Free From Heavy Metal*		●	●	●	●	●	●	●	●
FUNCTIONAL BENEFITS									
High Performance		★ ★	★	★	★	●	●	★	★
Scratch Resistant		★ ★	★	★	★	●	●	★	★
Yellowing Resistant		★ ★	●	●	●	●	●	★	★ ★
Chemical Resistant**		★ ★	●	●	●	●	●	●	●
UV Resistance		★ ★ ★	★	●	★	★	★	★	●
Good Flexibility		●	●	●	★	●	●	★	★
Prevent Wood From Rotting		●	●	●	●	●	●	●	●
Water Resistant		●	●	●	●	●	●	●	●
Easy Clean		●	●	●	●	●	●	●	●
Anti-Fungal		●	●	●	●	●	●	●	●
APPLICATION DATA									
Drying Time	Touch Dry	2 hours	2 hours	2 hours	2 hours	1 hour	20 mins	20 mins	40 mins
	Hard Dry	16 hours	8 hours	8 hours	8 hours	8 hours	1 hour	1 hour	2 hours
Recoating Time		Minimum 8 hours	Overnight	Overnight	Overnight	Minimum 8 hours	Minimum 2 hours	2-3 hours	2-3 hours
Coverage per Litre (m²)		12 m²	15-17 m²	15-17 m²	15-17 m²	15-17 m²	8-10 m²	10-12 m²	11 m²
Application		Brush/Roller/Air Spray	Brush/Roller/Air Spray	Brush/Roller/Air Spray	Brush/Roller/Air Spray	Brush/Roller/Air Spray	Air Spray	Brush/Roller/Air Spray	Brush/Roller/Air Spray
Recommended Thinner for Dilution/Cleaning		PU Recoatable Thinner	General Purpose Thinner	General Purpose Thinner	General Purpose Thinner	General Purpose Thinner	NC Wood Lacquer Thinner	Water	Water
Recommended of Coats		1-2	2	2	1-2	1-2	1-2	2	2-3
Recommended Area of Usage		- Door/Door Frame - Window - Wooden Furniture	- Door/Door Frame - Window - Wooden Furniture - Skirt - Fence - Balcony	- Door/Door Frame - Window - Wooden Furniture	- Door/Door Frame - Window - Wooden Furniture - Skirt - Fence - Balcony	- Door/Door Frame - Window - Wooden Furniture - Skirt - Fence - Balcony	- Wooden Furniture	- Wood & Galvanised Substrate	- Door/Door Frame - Window - Wooden Furniture


Note:

* only applicable to Colour Creations / Colour Creations Pro-Series Bases

** includes water, grease, alcohol, coffee, heat test at 85 degree celsius & acetone

Product Selector

PIGMENTED VARNISH COLOUR Chart

		Solvent Based				Water Based	
							
		PU Recoatable Finish Clear	1 Pack PU Timbercoat	Timber Finish	NC Wood Lacquer Clear	Fibercote	Hydro Wood
		PRO SERIES	PRO SERIES	PRO SERIES	PRO SERIES	Colour Creations™	Colour Creations™
		Interior & Exterior	Interior & Exterior	Interior & Exterior	Interior	Interior & Exterior	Interior
Finishing	Gloss	●	●	●	●		●
	Satin	●	●	●	●	●	●
ENVIRONMENTAL FRIENDLY							
Green Choice 							
Low Odour						Low Odour	Low Odour
100% Free From Heavy Metal*		●	●	●	●	●	●
FUNCTIONAL BENEFITS							
High Performance		★ ★	★ ★	★	●	★	★
Scratch Resistant		★ ★	★	●	●	★	★ ★
Transparency/Clarity		★ ★	★	●	●	●	●
Yellowing Resistant		★ ★	●	●	●	★	★ ★ ★
Chemical Resistant**		★ ★	●	●	●	●	●
UV Resistance		●	★	★	●	★	●
Good Flexibility		●	●	●	●	★	●
Prevent Wood From Rotting		●	●	●	●	●	●
Water Resistant		●	●	●	●	●	●
Easy Clean		●	●	●	●	●	●
APPLICATION DATA							
Drying Time	Touch Dry	2 hours	30 mins	30 mins	20 mins	30 mins	30 mins
	Hard Dry	16 hours	4 hours	4 hours	1 hour	1 hour	4 hours
Recoating Time		Minimum 8 hours	4 hours	4 hours	Minimum 2 hours	3 hours	Minimum 2-3 hours
Coverage per Litre (m²)		12 m²	7-12 m²	9-14 m²	8-10 m²	10-12 m²	7-11 m²
Application		Brush/Roller/Air Spray	Brush/Roller/Air Spray	Brush/Air Spray	Air Spray	Brush/Roller/Air Spray	Brush/Roller/Air Spray
Recommended Thinner to use		PU Recoatable Thinner	General Purpose Thinner	General Purpose Thinner	NC Wood Lacquer Thinner	Water	Water
Recommended of Coats		1-2	2-3	2-3	1-2	2-3	2-3
Recommended Area of Usage		- Door/Door Frame - Window - Wooden Furniture	- Door/Door Frame - Window - Skirt - Fence - Balcony - Shade Floor	- Door/Door Frame - Window - Skirt - Fence - Balcony	- Wooden Furniture	- Fibre Cement Board	- Wooden Surface - Parquet Flooring - Furniture - Gymnasiums - Wood Paneling

Note:

* only applicable to Colour Creations / Colour Creations Pro-Series Bases

** includes water, grease, alcohol, coffee, heat test at 85 degree celsius & acetone

Product Highlight




Nippon Fibercote

Provides natural wood look for fibre cement board

Product Features

- Good adhesion
- Weathering resistance
- Fungus & algae resistance
- Water based paint



The Paint Expert™

1-800-88-2663 www.nipponpaint.com.my

Nippon Paint (M) Sdn. Bhd. (7516-H)

Lot I-17, Taman Perindustrian Subang Utama, Jalan SU 4,
40300 Shah Alam, Selangor Darul Ehsan

☎ 1-800-88-2663 ✉ customercare@nipponpaint.com.my

🏠 www.nipponpaint.com.my 📘 facebook.com/nipponpaintblobbies